


SEAL-TITE LT K-STYLE GUTTER



- ① MATERIAL NEEDS FIELD NOTCHED LAP JOINTS.
- ② MATERIAL PROVIDED WITH 6" WIDE SPLICE PLATES.

MATERIAL:

- ___ 24 GA. GALV. STEEL ①
- ___ 22 GA. GALV. STEEL ①
- ___ .032" ALUMINUM ①
- ___ .040" ALUMINUM ①
- ___ .050" ALUMINUM ②
- OTHER _____

COLOR: _____

FINISH: _____

QUANTITIES:

- _____ LINEAL FEET 10'-0" LENGTHS
- _____ LINEAL FEET 20'-0" LENGTHS
- _____ PIECES @ _____ LENGTHS
- _____ OUTSIDE MITERS @ 90°
- _____ INSIDE MITERS @ 90°
- _____ ENDCAPS: RIGHT _____ LEFT _____
- _____ EXPANSION JOINTS

ONE EXPANSION JOINT INCLUDES:

(2) ENDCAPS, (1) OUTSIDE COVER PLATE AND (1) TOP PLATE

FOR NON-90 MITERS SEE PRINT APPROVAL #11012-25392

GUTTER SIZE	A	B	C	D
<input type="checkbox"/> 6"	4½"	6"	5"	3⅞"
<input type="checkbox"/> 7"	5⅜"	7"	5⅞"	4⅝"
<input type="checkbox"/> 8"	6"	8"	6⅞"	5⅜"

NOTES:

- 6" SPLICE PLATES PROVIDED.
- 1/8" STAINLESS STEEL POP RIVETS PROVIDED.
- UNLESS OTHERWISE NOTED, FABRICATION OF MITERS ARE FURNISHED STANDARD UTILIZING POP RIVETS, THEN FACTORY SEALED WATERTIGHT.
- WELDED ACCESSORIES REQUIRE A MINIMUM MATERIAL THICKNESS OF .050".

AUTHORIZED SIGNATURE:

APPROVED BY: _____

DATE: _____

PROJECT: _____

ARCHITECT: _____

ROOFING CONTRACTOR: _____

REPRESENTATIVE/DISTRIBUTOR: _____

Corporate Offices, Manufacturing
1600 Airport Road; Waukesha, WI 53188
Phone: 800-558-2162
Fax: 800-373-9156
www.metalera.com



DATE: 09/21/17

DRN BY: JJC

CKD BY: SAK

SHT.# _____ OF _____

DWG# 11012-25545

B